

Initialize Hoodie

`var hoodie = new Hoodie()`

Init Hoodie on your server

`new Hoodie('https://example.com')`

Init Hoodie on different server

hoodie.store

All methods return a promise.

`.add(type, properties)`

add data

`.find(type, id)`

find specific data with ID

`.findAll(type)`

find all data of type

`.update(type, id, changedProperties)`

update specific data of type with ID

`.updateAll(type, changedProperties)`

update all data of type

`.remove(type, id)`

remove specific data with ID

`.removeAll(type, id)`

remove all data of type

`.findOrAdd(type, id, properties)`

find data and add if not there

`.UpdateOrAdd(type, id, properties)`

add data or update, if already there

hoodie.account

All methods return a promise.

`.signUp(username, password)`

sign user up

`.signIn(username, password)`

sign user in

`.signOut()`

sign user out

`.destroy()`

destroy user account, delete all data

`.resetPassword(username)`

reset password of user account

`.username`

gives back string of username

others

`hoodie.id()`

returns unique ID for current user

`hoodie.request(type, path, options)`

send custom requests, type being

„GET“, „POST“

`var rStore = hoodie.open(dbName)`

work with remote store, same API

as `hoodie.store`

events -

`hoodie.on('event', fcn)`

disconnected

disconnected from the server

reconnected

reconnected to the server

events -

`hoodie.store.on('event', fcn)`

change, function(event, object)

data got changed

add, function(object)

data got added

update, function(object)

data got updated

remove, function(object)

data got removed

clear, function()

data got cleared

`type:change`

events can be namespaced, function

params same as at event

`type:id:change`

events can be namespaced, function

params same as at event

events -

`hoodie.account.on('event', fcn)`

signup, function(username)

user signed up

signin, function(username)

user signed in

signout, function(username)

user signed out